

## KAMA

### BIOSTIMULANT BASED ON SEAWEED AND PLANT EXTRACTS

ANALYSIS	w/w	
Organic nitrogen (N)	0,2%	
Organic carbon (C) of biological origin	13 %	
Seaweed product directly obtained by mechanical extraction and plant extracts		

### ALLOWED IN ORGANIC FARMING IN ACCORDANCE WITH THE EUROPEAN REGULATION

#### DOSAGE AND INSTRUCTIONS FOR USE

##### Foliar application:

- **Fruit trees (pome and stone fruits) and table grape:** during the vegetative stage to improve plant growth, 3-4 applications every 7-10 days 5-2.5 L/ha
- **Table grape:** in combination with one application with bunches 3-4 cm and repeat after 6-7 days with the aim of promoting bunch elongation 1.5 L/ha
- **Tropical fruit trees (mango, banana, papaya, etc.) and citrus:** during new leaf flushing and at flowering, 2-3 applications every 7-10 days 1.5-2.5 L/ha
- **Vegetable and industrial crops (potato, sunflower, sugar cane, cotton, etc.):** during the whole cycle, 3-4 applications every 7-10 days 1.5-2 L/ha
- **Cereals (rice, wheat, corn, etc.):** 1<sup>st</sup> application at post-emergence usually combined with herbicides; 2<sup>nd</sup> application at pre-flowering stage 1-2 L/ha
- **Flower and ornamental crops:** during the whole crop cycle, 2-3 applications every 7-10 days 100-200 mL/hL

Dosages are calculated for normal water distribution volumes

#### Handling and storage



#### Security and ecological information

In case of spillage, collect with sawdust and/or sand  
Keep out of reach of children



**Warning** Keep away from flames, and store in a cool, well-ventilated place. Avoid prolonged exposure to low temperatures. Check container periodically. In case of accidental spill contain the leak, avoid water contamination and, whenever necessary, dispose according to the laws in force. **SHAKE BEFORE USE**

## PACKING

	<p>1 PALLET CANS 25 LT 48 cans= 1200 Lt</p>			
<p><b>CAN 25 LT</b></p>		<p><b>IBC 1000 Lt</b></p>		